

27754/35306A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Certificate of Facsimile Transmission
Paul R. Drury et al.	I hereby certify that this paper is being facsimile
Serial No.: 09/426,087	transmitted to the U.S. Patent and Trademark
Title: Droplet Deposition Apparatus	Office on the date shown below, to fax no. 703-
Filed: October 22, 1999	308-3432, and is addressed to examiner Kristal
Group Art Unit: 2861	Feggins.
Examiner: Kristal J. Feggins	March 26, 2003
	<i>Bryan J. Lempia</i>
	Bryan J. Lempia

SUBMISSION OF PROPOSED DRAWING CORRECTIONS

Honorable Commissioner for Patents
Box AF
Washington, D.C. 20231

Sir:

This paper accompanies a response to a final action dated November 26, 2002. Submitted herewith is a proposed correction to FIG. 1 in the above identified application. The nozzle rows 20 and 30 shown therein have been redrawn as rows of small, round nozzles instead of being shown schematically as lines.

No new matter has been entered. Consideration and entry of the proposed drawing corrections are respectfully submitted.

Respectfully submitted,

By:

Bryan J. Lempia
Bryan J. Lempia
Reg. No. 39,746
MARSHALL, GERSTEIN & BORUN
6300 Sears Tower
233 South Wacker Drive
Chicago, Illinois 60606-6357
Tel.: (312) 474-6300
Fax: (312) 474-0448

March 26, 2003

MARSHALL, GERSTEIN & BORUN
ATTORNEYS AT LAW
6300 SEARS TOWER
233 SOUTH WACKER DRIVE
CHICAGO, ILLINOIS 60606-6357
(312) 474-6300
FAX: (312) 474-0448

FAX RECEIVED
MAR 26 2003
TECHNOLOGY CENTER 2800

March 26, 2003

FACSIMILE TRANSMISSION SHEET

TO Examiner Feggins
COMPANY The United States Patent and Trademark Office
FAX NO. (703) 746-4488
GROUP ART UNIT: 2861

FROM: Bryan J. Lempia
Marshall, Gerstein & Borun

EXTENSION: 300

PAGES (INCLUDING THIS PAGE): 16

CLIENT NO: 27754

MATTER NO: 35306A

PLEASE CONFIRM RECEIPT: No

COUNTRY CODE: US

MESSAGE: Examiner Feggins:

Per our telephone discussion of March 20, 2003, please find attached a response to the final action.

Respectfully,

Bryan J. Lempia #39,746

Please contact Susana Vasquez at (312) 474-6300 if you do not receive all of the pages in good condition.

The material of this transmission contains confidential information intended only for the addressee. If you are not the addressee, any disclosure or use of this information by you is strictly prohibited. If you have received this facsimile in error, please notify us by telephone immediately.